

#### Via Rosa Luxembourg 2/A 10093 COLLEGNO (TO) P.IVA 07783540011 R.E.A. n°920259 Tel.: +39-011/7792823 Fax: +39-011/7792749

www.tover.com e-mail: info@tover.com Made in Italy

## **WPC COVER**

# OIL AND WATERPROOF PROTECTION AGENT FOR WOOD PLASTIC COMPOUND (WPC)

Water-based protection agent for WPC elements treatment (decking, terraces, etc). It protects the surfaces avoiding the absorption of oils and grease and consequent spots and marks. It improves the long-term original color durability of WPC structures.

#### Technical data

Physical-Chemical characteristics (20°C – 60% R.H.)					
Aspect	Opalescent liquid	Specific gravity	1,030		
Viscosity (Ford4)	10"	рН	7,5		

Technical characteristics (20°C – 60% R.H.)				
Consumption	15 - 20 m²/litre	Ready for light traffic	2 - 4 hours	
Dust dry	15 - 20 minutes	Overcoating	2 - 4 hours	

Storage & Labelling					
Storage in unopened packing at ambient temperature	12 months Protect from freeze	Symbols of risk	None		
Packaging	Bottle of 1 litre Can	of 5 It			

### Application <sup>-</sup>

Wash the surface to be treated with WPC Cleaner detergent. Once dry, apply a first thin and uniform coat of product; the use of a paintbrush is recommended to prevent an excess of product into the slots. After 2-4 hours apply a second coat without sanding, in the same way. To renew an already treated surface, carefully clean with WPC Cleaner and, once dry, apply one or two coats of product.

To clean tools, use water and Soluzione di lavaggio S28.

For periodical clearing use WPC Cleaner.

#### Note

✓ Shake well before use.

#### Safety rules

FOR PROFESSIONAL USE ONLY. Strictly respect the information reported on labels and consult safety data sheets before use.

#### Disposal of waste

Dispose not used product and empty containers in accordance of local in force regulations.



WARNING: The information reported in present technical data sheet are for guidance only and they do not hold our responsibility. Adapt the use of our products to the environmental conditions and materials to be treated. **REV 1 16-07-2015** Current Technical Data Sheet replaces the previous one.