

Ulricehamnsvägen 11
514 62, Ölsremma

+46 73 400 38 78
info@addnorth.com

PETG Economy is for those who value material quality and fail-safe prints, but are on a budget. Produced in our robust and quality-assured production system, you are guaranteed to receive a very all-round, easy-to-use PETG filament for your more demanding every day prints.

Revision
1.0

Product
PETG-ECONOMY

	STANDARD	UNIT	TYPICAL VALUE
PHYSICAL PROPERTIES			
Density	ISO 527	g/cc	1.28
MECHANICAL PROPERTIES			
Tensile Strength, Break	ISO 527	MPa	45
Tensile Modulus	ISO 527	GPa	2
Tensile Elongation, Break	ISO 527	%	22
Flexural Strength	ISO 178	MPa	68
Flexural Modulus	ISO178	MPa	1600
THERMAL PROPERTIES			
Glass Transition Temperature (Tg)	DSC	°C	70
Deflection Temperature at 0.45 MPa (66psi)	ISO 75	°C	78

DATE ISSUED

MONTH
1 2 3 4 5 6 7 **8** 9 10 11 12

DAY
1 2 3 4 5 6 7 8 9 10 **11** 12 13 14 15 16 17
18 19 20 21 22 23 24 25 26 27 28 29 30 31

YEAR
2018 2019 **2020**

DISCLAIMER

The technical data contained on this data sheet should not be used to establish specifications limits or used alone as the basis of design. The data provided is not intended to substitute any testing that may be required to determine fitness for any specific use.

www.addnorth.com