

KUBAN

COFFEE PROCESSING MASTER™

Our company, Kuban Makina, was established in 1996 by Ahmet Demirden in İzmir, Turkey. When our passion for coffee became irresistible, we decided to turn this love into a business and started to produce “coffee processing machines and equipment” for coffee-lovers all around the world.

We have expanded our product range since the beginning of our operations, and now, we serve both the domestic and international markets. Nearly 25 years of experience in the coffee industry has brought us mastery. Moreover, we constantly improve our products and services on the basis of customer satisfaction with our dynamic and disciplined team.

We pioneer this passion by using high-quality raw materials in all of our products that we produce. We stand out with our high-performance products, which are specially combined by our expert engineers. Our machines can be customized to customer demands.



KUBAN SUPREME-18

SUPREME-18

Innovation meets master roasting in one compact machine now! It has 18 kg green coffee beans capacity per batch. It has highest qualified heat insulation to obtain the exclusive roasting experience for users. Kuban Supreme will be the most favorite roasting machine among the coffee shops and coffee lovers all over the world.

KUBAN
COFFEE PROCESSING MASTER™

KUBAN SUPREME-18



CAPACIY	18 KG
ROASTING TIME	10-20 min.
ROASTING CAPACITY	54kg / hour
BURNER POWER	45 kW/ hour
GAS CONSUMPTION-LNG	4.68 m^3
GAS CONSUMPTION- LPG	4.68^3
WEIGHT WITH CYCLONE	710 kg
VOLTAJ	220V-380V
FREQUENCY	50-60 Hz
HEAT SOURCE	LPG- NATURAL GAS- DIESEL
HEATING SYSTEM	THERMAL TRANSFER
BURNER TYPE	ATMOSPHERIC OR PREMIX (NEW)
NUMBER OF MOTOR	4
POWER CONSUMPTION (KW/H)	3.25 kW/hour
CONTROL TYPE	MANUAL / SOFTWARE&PLC / FULL OTOMATION
CERTIFICATE	CE

KUBAN
COFFEE PROCESSING MASTER™

KUBAN SUPREME-18

TECHNICAL SPECIFICATION

- Proportional Flame Level: The flame level can be adjusted gradually and roast the same quality every time.
- Renovated Inside Blade Design of Drum: Increased the output speed roasted coffee with homogeneous heating.
- Homogeneous Heat Distribution with 55% Emptiness Drum Volume: Increasing conventional heating by minimizing contact of beans with the drum.
- Casting Front Cover of Drum: Overheating spot is prevented from front cover.
- Up to 70 RPM Adjustable Drum: It allows every type of roasting such as slow or aggressive roasting techniques.
- Increased Drum Insulation: It was ensured that the internal energy was protected by using heated air efficiently.
- Volumetric Airflow Control
- Low Noise Control
- Lower Operating Costs
- Premium Quality Components
- Removable and Rotatable Cooling Tray

SOFTWARE:

Our new roasting software is specially built up for the **Kuban Supreme series** with advanced technology.

Kuban roasting software allows user to record, analyze, edit, save and create roast profiles, and display the relevant parameters such as roasting time, temperature, flame level, fan speed, etc. It also saves the roast master's manual actions and stores any changes to the flame level in the PLC system using time and temperature codes.



KUBAN
COFFEE PROCESSING MASTER™

[illegible]

KUBAN
COFFEE PROCESSING MASTER™

KUBAN SUPREME-18

KUBAN
COFFEE PROCESSING MASTER™

WARRANTY;

KUBAN offers a 2-year international warranty and life-time technical support to customers.

KUBAN
COFFEE PROCESSING MASTER™

PACKING FOR SHIPMENT;

Wood box for the transport for the Equipment, including pallets as well as card packing.

KUBAN
COFFEE PROCESSING MASTER™

LEAD TIME;

5-6 WEEKS

OPTIONAL EQUIPMENTS



DESTONER



AFTERBURNER



LOADER

KUBAN
COFFEE PROCESSING MASTER™

KUBAN

COFFEE PROCESSING MASTER™

▪ CORPORATE HEADQUARTER

Kuban Makina Dekorasyon Gıda İnş.
San. Ve Tic. Ltd. Şti.
Address: 1145 Str. No: 27/A
Yenişehir-İzmir TURKEY
Phone: 0090 232 449 20 20

▪ FACTORY

Kuban Roastery Plant Sanayi
caddesi, 28/B Bornova- İzmir
TURKEY
Phone: 90 544 965 82 26

A: 1145 SK. NO 27/A Yenişehir Konak- İZMİR, T: +90 232 449 20 20 F: +90 (232) 469 13 79

ozan@kubancoffeeroasters.com / www.kubancoffeeroasters.com