# **Safety Data Sheet**

Issue Date 18-Dec-2013 Revision Date 09-Oct-2019 Version: 3.01

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name Landscaper Pro 27-5-5+2MgO

Product Code: 87320115DC

Synonyms: Landscaper Pro 27-2.2-4.2+1.2Mg

Pure substance/mixture Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fertilizer (PC12).

Uses Advised Against: None.

1.3. Details of the supplier of the safety data sheet

Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

# **Section 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008 (CLP)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal Word: None

### **EU Specific Hazard Statements:**

EUH210 - Safety data sheet available on request

### **Precautionary Statements:**

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P103 - Read label before use

# Other hazards (UN-GHS)

H316 - Causes mild skin irritation

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Urea	200-315-5	57-13-6	40 - 65%	Not classified	01-2119463277-33
Ammonium nitrate; NH <sub>4</sub> NO <sub>3</sub>	229-347-8	6484-52-2	10 - 25%	Eye Irrit. 2 (H319) Ox. Sol. 3 (H272)	01-2119490981-27
Sulphur; S	231-722-6	7704-34-9	5 - 10%	Skin Irrit. 2 (H315)	01-2119487295-27

Magnesium oxide; MgO	215-171-9	1309-48-4	1 - 5%	Not classified	Exempt
Wax	601-216-3	112945-52-5	1 - 5%	Not classified	01-2119488076-30
Calcium sulphate dihydrate; CaSO <sub>4</sub> +2H <sub>2</sub> O	231-900-3	10101-41-4	0.1 - 1%	Not classified	01-2119444918-26
Calcium carbonate; CaCO₃	207-439-9	471-34-1	0.1 - 1%	Not classified	Exempt
Calcium fluoride; CaF <sub>2</sub>	232-188-7	7789-75-5	0.1 - 1%	Not classified	Exempt

Full text of H- and EUH-phrases: see section 16

### Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

**General Advice:** First aid measures should be executed by trained personnel only.

**In case of shortness of breath, give oxygen. Possible symptoms are coughing and/or** 

dyspnoea. Move to fresh air. If symptoms persist, call a physician.

**Skin Contact:** If a person feels unwell or symptoms of skin irritation appear, consult a physician.

**Eye Contact:** Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists,

consult a specialist.

**Ingestion:** Do not induce vomiting without medical advice. If a person vomits when lying on his back,

place him in the recovery position. Never give anything by mouth to an unconscious person. In case of respiratory difficulties practice oxygenotherapy. Possible symptoms are nausea

and/or vommiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

# 4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

# **Section 5: FIRE FIGHTING MEASURES**

### 5.1. Extinguishing media

<u>Suitable Extinguishing Media:</u>

Coordinate fire extinguishing measures to fire in surrounding area. Use dry chemical, CO2, water spray or "alcohol" foam.

Unsuitable Extinguishing Media: High volume water jet.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# 5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# **Section 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal Precautions:** Avoid dust formation. Ensure adequate ventilation. **For Emergency Responders:** Use personal protection recommended in Section 8.

# 6.2. Environmental precautions

Prevent product from entering drains. Do not contaminate surface water.

### 6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleanup: Shovel or sweep up. Use up product completely. Packaging material is industrial waste.

### 6.4. Reference to other sections

§ 8, 12, 13.

# **Section 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep at temperatures between 0 °C and 40 °C.

Packaging Materials: Store in orig

LGK (Germany)

Store in original container. Store in a closed container.

13

7.3. Specific end use(s)

Specific use(s)
Exposure scenario

Fertilizer; www.everris.com; Read and follow label instructions

Mixture. Not required.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Bulgaria - OEL- TWAs	10.0 mg/m³ TWA		
Latvia - OEL - TWAs	10 mg/m³ TWA		
Ammonium nitrate; NH₄NO₃			
Australia	N.A.		
Czech Republic OEL	10.0 mg/m³ TWA		
Sulphur; S			
Latvia - OEL - TWAs	6 mg/m³ TWA		
Russia TWA	6 mg/m³ TWA 1863		
Magnesium oxide; MgO			
Austria	STEL 10 mg/m <sup>3</sup>		
	TWA: 5 mg/m <sup>3</sup>		
Australia	10 mg/m³ TWA fume		
Belgium - 8 Hr TWA	10 mg/m <sup>3</sup>		
Bulgaria - OEL- TWAs	10.0 mg/m³ TWA		
Czech Republic OEL	5 mg/m³ TWA		
Denmark	TWA: 6 mg/m <sup>3</sup>		
FR - OEL - 8h VMEs	TWA: 10 mg/m <sup>3</sup>		
Hungary - OEL - TWAs	6 mg/m³ TWA		
Iceland - OEL - 8 Hour	6 mg/m³ TWA Mg		
Ireland	TWA: 4 mg/m <sup>3</sup>		
	STEL: 10 mg/m <sup>3</sup>		
Korea - ISHA - OEL - TWAs	10 mg/m³ TWA (Serial No. 277)		
Malaysia	10 mg/m³ TWA (fume)		
Norway	TWA: 10 mg/m <sup>3</sup>		
	STEL: 20 mg/m <sup>3</sup>		
Poland	TWA: 10 mg/m <sup>3</sup>		
Portugal	TWA: 10 mg/m <sup>3</sup>		
Romania - OEL - TWAs	5 mg/m³ TWA (fume)		
Spain - Valores Limite Ambientales - VLE	TWA: 10 mg/m <sup>3</sup>		
Singapore - OEL:PELs	10 mg/m³ PEL		
Switzerland	TWA: 3 mg/m <sup>3</sup>		
UK EH40 WEL (8h)	10 mg/m³		
Wax			
Austria	TWA: 4 mg/m <sup>3</sup>		
Calcium sulphate dihydrate; CaSO4+2H2O			
Belgium - 8 Hr TWA	10 mg/m³ TWA		

TMA: 40 as m/ss2		
TWA: 10 mg/m³		
TWA: 10 mg/m <sup>3</sup>		
TWA: 3 mg/m <sup>3</sup>		
10 mg/m³ TWA (Inhalable)		
4 mg/m³ TWA (Respirable)		
10 mg/m³ TWA inhalable dust		
10.0 mg/m <sup>3</sup> TWA		
TWA: 10 mg/m <sup>3</sup>		
10 mg/m³ TWA (Serial No. 572)		
6 mg/m³ TWA		
TWA: 10 mg/m <sup>3</sup>		
TWA: 10 mg/m <sup>3</sup>		
TWA: 3 mg/m <sup>3</sup>		
10 mg/m³ TWA (inhalable)		
4 mg/m³ TWA (respirable)		
TWA: 2.5 mg/m <sup>3</sup>		
TWA: 2.5 mg/m <sup>3</sup>		
STEL: 7.5 mg/m <sup>3</sup>		
0.5 mg/m³ TWA (as F, listed under Hydrofluoric acid salts)		
TWA: 2 mg/m <sup>3</sup>		
TWA: 2.5 mg/m <sup>3</sup>		
1 mg/m³ TWA		
0.5 mg/m³ TWA 1104		

### **Derived No Effect Level (DNEL)**

Component	Oral	Dermal	Inhalation
Urea		580 mg/kg bw/day	292 mg/m <sup>3</sup>
57-13-6 ( 40 - 65% )			-
Ammonium nitrate; NH <sub>4</sub> NO <sub>3</sub> 6484-52-2 ( 10 - 25% )	36 mg/m <sup>3</sup>	5.12 mg/kg bw/day	8.9 mg/m <sup>3</sup>

# **Predicted No Effect Concentration (PNEC)**

No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Urea 57-13-6 ( 40 - 65% )	0.47 mg/l		0.047 mg/l			
Ammonium nitrate; NH <sub>4</sub> NO <sub>3</sub> 6484-52-2 ( 10 - 25% )						18 mg/l

### 8.2. Exposure controls

Personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles

**Hand protection** Nitrile rubber (0.26 mm). Break through time. > 8 h.

Respiratory Protection No personal respiratory protective equipment normally required

Skin and body protection: Usual safety precautions while handling the product will provide adequate protection

against this potential effect

Hygiene Measures: Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away

from food, drink and animal feeding stuffs.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

Physical State: Solid Appearance: Granules

Color: orange, brown, grey.

### Landscaper Pro 27-5-5+2MgO

Odor: None

Bulk density: 800 - 1100 kg/m³ no data available

**Melting Point/Freezing Point:** No data available **Boiling Point/Range:** Solid. Not applicable. Flash Point: Solid. Not applicable. Solid. Not applicable. **Evaporation Rate:** Flammability (solid, gas): Not flammable **Vapor Pressure:** Solid. Not applicable. Vapour density Solid. Not applicable. Relative density No data available No data available Water Solubility: No data available Solubility(ies) **Partition Coefficient:** Solid. Not applicable. **Autoignition Temperature:** No data available **Decomposition temperature:** No data available

Explosive Properties: Doesn't present explosion hazard.

9.2. Other information

VOC Content (%): Solid. Not applicable.

# Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Not reactive.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

# 10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

### 10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# **Section 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

### **Product Information**

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

# Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

**Inhalation** Inhalation of dust in high concentration may cause irritation of respiratory system.

**Eye contact** May cause slight irritation.

**Skin Contact** May cause irritation.

**Ingestion** May cause gastrointestinal discomfort if consumed in large amounts.

### **Information on Toxicological Effects**

None known **Acute Toxicity** 

Unknown Acute Toxicity: 0% of the mixture consists of ingredient(s) of unknown toxicity.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Urea	= 8471 mg/kg (Rat)		
Ammonium nitrate; NH₄NO₃	= 2217 mg/kg (Rat)	> 5000 mg/kg	> 88.8 mg/L (Rat) 4 h
Sulphur; S	> 3000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 9.23 mg/L (Rat) 4 h
Magnesium oxide; MgO	= 3870 mg/kg (Rat) =		
	3990 mg/kg (Rat)		
Wax	= 3160 mg/kg (Rat)		
Calcium carbonate; CaCO₃	= 6450 mg/kg (Rat)		
Calcium fluoride; CaF <sub>2</sub>	= 4250 mg/kg (Rat)		

# Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Classification based on individual ingredients of the mixture. Serious eye damage/eye irritation Respiratory or skin sensitization Classification based on individual ingredients of the mixture. Classification based on individual ingredients of the mixture. **Germ Cell Mutagenicity** Classification based on individual ingredients of the mixture. Carcinogenicity **Reproductive Toxicity** Classification based on individual ingredients of the mixture. **STOT - Single Exposure** Classification based on individual ingredients of the mixture. **STOT - Repeated Exposure** Classification based on individual ingredients of the mixture. Classification based on individual ingredients of the mixture. **Aspiration Hazard** 

# **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity
Ecotoxicity
Unknown Aquatic Toxicity

Should not be released into the environment 3% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Urea	> 10000: 192 h Scenedesmus quadricauda mg/L EC50	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	-	3910: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna Straus mg/L EC50
Ammonium nitrate; NH₄NO₃	-	65 - 85: 48 h Cyprinus carpio mg/L LC50 semi-static	-	-
Sulphur; S	-	866: 96 h Brachydanio rerio mg/L LC50 static 14: 96 h Lepomis macrochirus mg/L LC50 static 180: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-

12.2. Persistence and degradability Persistence and Degradability:

No persistent or cumulative effects were observed.

12.3. Bioaccumulative potential

### Landscaper Pro 27-5-5+2MgO

Bioaccumulation: Does not bioaccumulate.

Chemical Name

Urea

-1.59

Ammonium nitrate; NH<sub>4</sub>NO<sub>3</sub>

-3.1

12.4. Mobility in soilNo data available.12.5. PBT and vPvB assessmentNo data available.12.6. Other adverse effectsNo data available.

# **Section 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Disposal of Wastes: Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging: Do not reuse container.

Other Information Use up product completely. Packaging material is industrial waste.

# **Section 14: TRANSPORT INFORMATION**

IMO / IMDG

14.1 UN-No: Not regulated

14.2

Proper shipping name: Not regulated

<u>14.3</u>

Hazard Class: Not regulated

14.4

Packing group: Not regulated

14.5

Marine Pollutant: No information available

<u>14.6</u>

Special Provisions None

14.7

Bulk transport according Annex II of MARPOL and IBC Code No data available

ADR/RID

14.1 UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

14.4

Packing group: Not regulated

<u>14.5</u>

Environmental Hazard Not regulated

14.6

Special Provisions None

14.1

UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

14.4

\_\_\_\_\_

Packing group: Not regulated

14.5

Environmental Hazard Not regulated

14.6

Special Provisions None

# **Section 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **Belgium**

· ·		Belgium - Major Accidents - Qualifying Quantities for Accident Prevention
Ammonium nitrate; NH <sub>4</sub> NO <sub>3</sub>	2500 tonne (technical grade; (a) this applies	350 tonne
6484-52-2 ( 10 - 25% )	to Ammonium nitrate in which the Nitrogen	
	content as a result of Ammonium nitrate is (i)	
	between 24.5% and 28% by weight and	
	which contain <=0.4% total combustible or	
	(ii) >28% by weight and which contain	
	<=0.2% combustible substances (b) aqueous	
	Ammonium nitrate solutions in which the	
	concentration of Ammonium nitrate is >80%	
	by weight)	

Denmark

Denmark No data available

**France** 

ICPE Not regulated

**Germany** 

LGK (Germany) 13

Water Endangering Class (WGK): 1 (Everris classification)

Gefahrstoffverordnung (Germany) TRGS 511 C III

Component	German WGK Section	
Urea	1	
57-13-6 ( 40 - 65% )		
Ammonium nitrate; NH <sub>4</sub> NO <sub>3</sub>	1	
6484-52-2 ( 10 - 25% )		
Sulphur; S	class 1	
7704-34-9 ( 5 - 10% )		
Magnesium oxide; MgO	1	
1309-48-4 ( 1 - 5% )		
Wax	3	
112945-52-5 ( 1 - 5% )		
Calcium sulphate dihydrate; CaSO <sub>4</sub> +2H <sub>2</sub> O	1	
10101-41-4 ( 0.1 - 1% )		
Calcium carbonate; CaCO₃	NWG	
471-34-1 ( 0.1 - 1% )		
Calcium fluoride; CaF <sub>2</sub>	1	
7789-75-5 ( 0.1 - 1% )		

Component	1 ' '	EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances
Ammonium nitrate; NH <sub>4</sub> NO <sub>3</sub>	Present (in concentration of 16% by weight of	Use restricted. See item 58. (Conditions of
6484-52-2 ( 10 - 25% )	Nitrogen in relation to Ammonium nitrate or	restrictions 27 June 2010)
, , ,	higher)	,

# 15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Ammonium nitrate; NH4NO3	Use restricted. See item 58.	

Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
	350	2500
Ammonium nitrate; NH4NO3		

# **Section 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

- H319 Causes serious eye irritation
- H272 May intensify fire; oxidizer
- H315 Causes skin irritation
- H316 Causes mild skin irritation

### Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

**DNEL: Derived No-Effect Level** 

REACh: Registration, Evaluation, Authorization of Chemicals

CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit TWA: Time Weighted Average

ATE: Acute Toxicity Estimate

EUH phrase: CLP (EU) specific hazard statement

LD50: Lethal dose, 50%.

LC50: Lethal concentration, 50%.

SVHC: Substance of Very High Concern.

Classification procedure

Calculation method

· Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU

No. 2015/830. Regulation (EC) No 1272/2008 (CLP).

Prepared by Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Issue Date 18-Dec-2013

Restrictions on use Restricted to professional users

**Reason for revision**\*\*\* Indicates changes since the last revision. This version replaces all previous versions

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.