

SAFETY DATA SHEET
PHOTOCENTRIC RESIN CLEANER

Compilation date: 10/08/2018

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PHOTOCENTRIC RESIN CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Use of substance / mixture: Mixture of propylene glycol ethers.

Company name: Photocentric Ltd
Cambridge House
Oxney Road
Peterborough
PE1 5YW

Tel: +44 (0) 1733 349937

Email: info@photocentric.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1733 349937
(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Acute toxicity - Category 5 - Oral

2.2. Label elements

Label elements:

Hazard statements: May be harmful if swallowed

Hazard pictograms: GHS07: Exclamation



Signal words: Warning

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Mixtures

Hazardous ingredients:

Propylene glycol ethers

-	Proprietary	-	97-100%
---	-------------	---	---------

[cont...]

SAFETY DATA SHEET

PHOTOCENTRIC RESIN CLEANER

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Combustion products may include but are not limited to: carbon monoxide and carbon dioxide.

Unsuitable extinguishing media: Do not use direct water stream. May spread fire

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Small spills: absorb spillage with sand or Vermiculite. Collect in suitable labelled containers. Large spills: contain spilled materials if possible. Pump into suitable labelled containers for disposal by an appropriate method. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

SAFETY DATA SHEET
PHOTOCENTRIC RESIN CLEANER

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

8.2. Exposure controls

DNEL / PNEC No data available.

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colorless

Odour: Ether

Evaporation rate: No data available

Oxidising: No

Solubility in water: 100% at 20°C literature

Dynamic viscosity: 5.5 cP at 25°C literature

Kinematic viscosity: 6.71 mm²s⁻¹ at 20°C
Literature

Boiling point (760 mmHg): 242.8°C at 760 mmHg
Literature

Melting point: Not applicable to liquids

Flammability limits %: lower: No data available.

Freezing point: -77.8°C literature

Flash point: Closed cup 124°C

Part.coeff. n-octanol/water: No data available

Auto-ignition temperature: 277°C at 1013 hPa

Relative density (water = 1): 0.9650 at 20°C literature

pH: No data available

SAFETY DATA SHEET
PHOTOCENTRIC RESIN CLEANER

VOC g/l: No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Chemical stability: Stable under normal conditions.

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information appears in this section when such data is available.

Acute toxicity: Acute oral toxicity

Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. LD50, Rat, male and female, 3,500 mg/kg Acute dermal toxicity Prolonged skin contact is unlikely to result in absorption of harmful amounts. Prolonged skin contact with very large amounts may cause dizziness or drowsiness. LD50, Rabbit, > 15,440 mg/kg Acute inhalation toxicity No adverse effects are anticipated from single exposure to vapor. Based on the available data, narcotic effects were not observed. Based on the available data, respiratory irritation was not observed. LC0, Rat, 8 Hour, vapour, > 30 ppm No deaths occurred at this concentration.

Symptoms / routes of exposure

Skin corrosion/irritation: Prolonged exposure not likely to cause significant skin irritation.

Serious eye damage/eye irritation: May cause slight temporary eye irritation. Corneal injury is unlikely.

Sensitization: Did not demonstrate the potential for contact allergy in mice.

For respiratory sensitization: No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure): Evaluation of available data suggests that this material is not an STOT-SE toxicant.

[cont...]

SAFETY DATA SHEET

PHOTOCENTRIC RESIN CLEANER

Specific Target Organ Systemic Toxicity (Repeated Exposure): Signs and symptoms of excessive exposure may include: Anesthetic or narcotic effects.

Carcinogenicity: Similar material(s) did not cause cancer in laboratory animals.

Teratogenicity: Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

Reproductive toxicity: For similar material(s): In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. Mutagenicity In vitro genetic toxicity studies were negative.

Aspiration Hazard: Based on physical properties, not likely to be an aspiration hazard.

Section 12: Ecological information

12.1. Ecotoxicity

Acute toxicity to fish: Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested). LC50, Pimephales promelas (fathead minnow), static test, 96 Hour, 11,619 mg/l, OECD Test Guideline 203 or Equivalent

Acute toxicity to aquatic invertebrates: LC50, Daphnia magna (Water flea), static test, 48 Hour, > 10,000 mg/l, OECD Test Guideline 202 or Equivalent

12.2. Persistence and degradability

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Biodegradation rate may increase in soil and/or water with acclimation. 10-day Window:

Pass Biodegradation: 60 % Exposure time: 28 d Method: OECD Test Guideline 301F or Equivalent Theoretical Oxygen Demand: 2.09 mg/mg Chemical Oxygen Demand: 2.02 mg/mg Dichromate.

12.3. Bioaccumulative potential

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): 0.31 at 20 °C Estimated.

12.4. Mobility in soil

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): 0.4 Estimated.

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6. Other adverse effects

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

SAFETY DATA SHEET
PHOTOCENTRIC RESIN CLEANER

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

SAFETY DATA SHEET

PHOTOCENTRIC 3D RESIN CLEANER

Page: 7

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H228: Flammable solid.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H361f: Suspected of damaging fertility.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.