

according to 29 CFR 1910.1200(g)

## DruckWege Type D Dental Rev. 2

Revision date: 03.07.2019 Page 1 of 10

#### 1. Identification

### **Product identifier**

DruckWege Type D Dental Rev. 2

### Product code:

**TDS** 

### Recommended use of the chemical and restrictions on use

#### Use of the substance/mixture

3D Printing

resin

### Uses advised against

Not for intraoral area.

### Details of the supplier of the safety data sheet

Company name: DruckWege GmbH
Street: Schulstr. 38
Place: D-53773 Hennef
Telephone: +49 2242 9185 137
e-mail: mail@druckwege.de

Contact person: Florian Reil / Anton Gillert Telephone: +49 2242 9185 137

Emergency phone number: Emergency telephone: +49 (0)89 41407483 (24 h, Munich, Germany)

## 2. Hazard(s) identification

#### Classification of the chemical

## 29 CFR Part 1910.1200

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitization: Skin Sens. 1

Reproductive toxicity: Repr. 2

#### **Label elements**

## 29 CFR Part 1910.1200

Signal word: Danger

Pictograms:







#### **Hazard statements**

Causes skin irritation

May cause an allergic skin reaction

Causes serious eye damage

Suspected of damaging fertility or the unborn child

## **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash hands thoroughly after handling.



according to 29 CFR 1910.1200(g)

## DruckWege Type D Dental Rev. 2

Revision date: 03.07.2019 Page 2 of 10

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of soap and water.

Take off contaminated clothing and wash it before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

If exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of waste according to applicable legislation.

#### Hazards not otherwise classified

No information available.

## 3. Composition/information on ingredients

#### **Mixtures**

#### **Hazardous components**

CAS No	Components	Quantity
13048-33-4	hexamethylene diacrylate; hexane-1,6-diol diacrylate	55.2 %
2123508-19-8	Hexane, 1,6-diisocyanato-, polymers with 2-hydroxyethyl acrylate-blocked 1,6-diisocyanatohexane homopolymer, 2-hydroxyethyl acrylate- and pentaerythritol triacrylate-blocked	27.61 %
4986-89-4	pentaerythritol tetraacrylate	9.195 %
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1.996 %
28961-43-5	Propylidynetrimethanol, ethoxylated, esters with acrylic acid	0.79 %

## 4. First-aid measures

### Description of first aid measures

### **General information**

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Get medical advice/attention.

## Most important symptoms and effects, both acute and delayed

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting measures



according to 29 CFR 1910.1200(g)

## DruckWege Type D Dental Rev. 2

Revision date: 03.07.2019 Page 3 of 10

#### **Extinguishing media**

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Specific hazards arising from the chemical

Non-flammable. In case of fire may be liberated: Gases/vapors, toxic

#### Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## Additional information

Supress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fume/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **Environmental precautions**

Do not allow to enter into surface water or drains.

### Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

## 7. Handling and storage

# Precautions for safe handling

## Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fume/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

### Further information on handling

Persons already sensitised to diisocyanates may develop allergic reactions when using this product. People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

### Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Store in a dry place. Provide adequate ventilation as well as local exhaustion at critical locations. Keep locked up. Store in a place accessible by authorized persons only.

# Hints on joint storage

No information available.

## Further information on storage conditions

Protect against: UV-radiation/sunlight, Humidity.

## 8. Exposure controls/personal protection

#### **Control parameters**



according to 29 CFR 1910.1200(g)

## DruckWege Type D Dental Rev. 2

Revision date: 03.07.2019 Page 4 of 10

#### **Exposure limits**

CAS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
7631-86-9	Silica, amorphous	-	6		TWA (8 h)	REL

#### **Exposure controls**







#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Do not breathe gas/fume/vapour/spray. Avoid contact with skin, eyes and clothes.

Persons already sensitised to diisocyanates may develop allergic reactions when using this product. People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

#### Eve/face protection

Wear eye/face protection.

#### Hand protection

Wear protective gloves.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Use of protective clothing.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state: Liquid
Color: various
Odor: like: Acrylate

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Initial boiling point and boiling range:

> 100 °C

Flash point:

> 110 °C

**Flammability** 

Solid: not applicable
Gas: not applicable



according to 29 CFR 1910.1200(g)

## DruckWege Type D Dental Rev. 2

Revision date: 03.07.2019 Page 5 of 10

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

> 230 °C

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapor pressure: <1 hPa

(at 20 °C)

Density: not determined Water solubility: poorly soluble

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

viscosity / kinematic:

not determined

vapor density:

not determined

not determined

not determined

not determined

not determined

Other information

Odor threshold: not determined

# 10. Stability and reactivity

# Reactivity

No hazardous reaction when handled and stored according to provisions.

## **Chemical stability**

Stability: Stable

The product is stable under storage at normal ambient temperatures.

## Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

## **Conditions to avoid**

Protect against: UV-radiation/sunlight, Humidity.

## **Incompatible materials**

No information available.

#### **Hazardous decomposition products**

In case of fire may be liberated: Gases/vapors, toxic

## 11. Toxicological information

## Information on toxicological effects

### Route(s) of Entry

Eye contact, dermal, inhalative, oral.



according to 29 CFR 1910.1200(g)

## DruckWege Type D Dental Rev. 2

Revision date: 03.07.2019 Page 6 of 10

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Components								
	Exposure route	Dose		Species	Source	Method			
13048-33-4	hexamethylene diacrylate; hexane-1,6-diol diacrylate								
	oral	LD50 mg/kg	5000	Rat	Manufacturer				
	dermal	LD50 mg/kg	3650	Rabbit	Manufacturer	OECD 402			
4986-89-4	pentaerythritol tetraacrylate								
	oral	ATE mg/kg	500						
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide								
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer				
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer				
28961-43-5	Propylidynetrimethanol, ethoxylated, esters with acrylic acid								
	oral	LD50 mg/kg	> 2000	Rat	Manufacturer				
	dermal	LD50 mg/kg	> 2000	Rabbit	Manufacturer				

#### Irritation and corrosivity

Causes skin irritation

Causes serious eye damage

## Sensitizing effects

May cause an allergic skin reaction (hexamethylene diacrylate; hexane-1,6-diol diacrylate; Hexane,

1,6-diisocyanato-, polymers with 2-hydroxyethyl acrylate-blocked 1,6-diisocyanatohexane homopolymer,

2-hydroxyethyl acrylate- and pentaerythritol triacrylate-blocked; pentaerythritol tetraacrylate;

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; Propylidynetrimethanol, ethoxylated, esters with acrylic acid)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging fertility or the unborn child (diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Silica, amorphous (CAS 7631-86-9) is listed in group 3.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **Further information**

Persons already sensitised to diisocyanates may develop allergic reactions when using this product. People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

# 12. Ecological information



according to 29 CFR 1910.1200(g)

## DruckWege Type D Dental Rev. 2

Revision date: 03.07.2019 Page 7 of 10

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

## Persistence and degradability

The product has not been tested.

#### **Bioaccumulative potential**

The product has not been tested.

## Mobility in soil

The product has not been tested.

#### Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 13. Disposal considerations

#### Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### 14. Transport information

**US DOT 49 CFR 172.101** 

UN/ID number: UN 3082

<u>Proper shipping name:</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(hexamethylene diacrylate; hexane-1,6-diol diacrylate; pentaerythritol

tetraacrylate)

Transport hazard class(es): 9
Packing group: III

Hazard label: 9

Marine transport (IMDG)

UN number: UN 3082

<u>UN proper shipping name:</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(hexamethylene diacrylate; hexane-1,6-diol diacrylate; pentaerythritol

tetraacrylate)

Transport hazard class(es): 9
Packing group: III
Hazard label: 9



Special Provisions: 274, 335, 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)



according to 29 CFR 1910.1200(g)

## DruckWege Type D Dental Rev. 2

Revision date: 03.07.2019 Page 8 of 10

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(hexamethylene diacrylate; hexane-1,6-diol diacrylate; pentaerythritol

tetraacrylate)

Transport hazard class(es):9Packing group:IIIHazard label:9



Special Provisions: A97 A158 A197 Limited quantity Passenger: 30 kg G

Passenger LQ: Y964
Excepted quantity: E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: hexamethylene diacrylate; hexane-1,6-diol diacrylate; pentaerythritol

tetraacrylate

Special precautions for user

No information available.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## 15. Regulatory information

### **U.S. Regulations**

### **National Inventory TSCA**

hexamethylene diacrylate; hexane-1,6-diol diacrylate: Yes.

Hexane, 1,6-diisocyanato-, polymers with 2-hydroxyethyl acrylate-blocked 1,6-diisocyanatohexane

homopolymer, 2-hydroxyethyl acrylate- and pentaerythritol triacrylate-blocked: No.

pentaerythritol tetraacrylate: Yes.

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide: Yes.

Propylidynetrimethanol, ethoxylated, esters with acrylic acid: Yes.

amorphous silica: Yes.

#### **National regulatory information**

SARA Section 311/312 Hazards:

hexamethylene diacrylate; hexane-1,6-diol diacrylate (13048-33-4): Immediate (acute) health hazard Hexane, 1,6-diisocyanato-, polymers with 2-hydroxyethyl acrylate-blocked 1,6-diisocyanatohexane homopolymer, 2-hydroxyethyl acrylate- and pentaerythritol triacrylate-blocked (2123508-19-8): Immediate

(acute) health hazard

pentaerythritol tetraacrylate (4986-89-4): Immediate (acute) health hazard

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8): Immediate (acute) health hazard

Propylidynetrimethanol, ethoxylated, esters with acrylic acid (28961-43-5): Immediate (acute) health hazard

## State Regulations



according to 29 CFR 1910.1200(g)

## DruckWege Type D Dental Rev. 2

Revision date: 03.07.2019 Page 9 of 10

### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### 16. Other information

#### **Hazardous Materials Information Label (HMIS)**

Health: \*3
Flammability: 1
Physical Hazard: 0

#### **NFPA Hazard Ratings**

Health: 3
Flammability: 1
Reactivity: 0

Unique Hazard:

 Revision date:
 03.07.2019

 Revision No:
 1,0

#### Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

CFR: Code of Federal Regulations DOT: Department of Transportation

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IARC: International Agency for Research on Cancer

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service

NFPA: National Fire Protection Association

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: permissible exposure limit REL: recommended exposure limit

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term exposure limit TSCA: Toxic Substances Control Act

TWA: time-weighted average TI: Technical Instructions

**DGR: Dangerous Goods Regulations** 

**UN: United Nations** 

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor


MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds

## Other data

The information is based on present level of our knowledge. It does not, however, give assurances of product







according to 29 CFR 1910.1200(g)

# DruckWege Type D Dental Rev. 2

Revision date: 03.07.2019 Page 10 of 10

properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)