

**MASTER**<sup>®</sup>  
CLIMATE SOLUTIONS







# MANUAL SERVICE

## BV77E

|                                 |         |
|---------------------------------|---------|
| Model 2010                      | pag. 2  |
| Model 2010, serie 30800083 →    | pag. 6  |
| Model 2011, serie 31800560 →    | pag. 10 |
| Model 2012, serie 32800180 →    | pag. 14 |
| Model 2013, serie 04233000449 → | pag. 18 |
| Model 2017, serie 06237001954 → | pag. 22 |

Model 2010






| Pos. | Code NR  | Description              |
|------|----------|--------------------------|
| 1    | 4032.840 | CHIMNEY                  |
| 2    | 4032.832 | UPPER BODY               |
| 3    | 4032.815 | MOTOR 2P.150W 230V/50    |
| 4    | 4032.835 | MOTOR SUPPORT            |
| 5    | 4032.545 | AIR REGULATION FLAP      |
| 6    | 4032.808 | AIR DEFLECTOR            |
| 7    | 4032.814 | FAN DIAM.250MM-25°       |
| 8    | 4032.836 | GRILL                    |
| 9    | 4032.811 | HANDLE                   |
| 10   | 4032.845 | FUEL LEVEL PROBE         |
| 11   | 4032.813 | DRAIN PLUG               |
| 12   | 4032.828 | FUEL TANK BLACK          |
| 13   | 4111.480 | WHEEL PLUG BLACK         |
| 14   | 4111.072 | WHEEL HOLDER DIAM. 20    |
| 15   | 4032.094 | WHEEL BLACK DIAM.250     |
| 16   | 4032.809 | WHEEL AXLE BLACK         |
| 17   | 4032.834 | LOWER BODY               |
| 18   | 4032.790 | COMBUSTION CHAMBER       |
| 19   | 4032.838 | OUTLET AIR CONE          |
| 20   | 4031.536 | NOZZLE 0,40 GPH 80°S     |
| 21   | 4032.786 | NOZZLE SUPPORT           |
| 22   | 4032.574 | BURNER FLANGE            |
| 23   | 4031.540 | ELECTRODE                |
| 24   | 4161.434 | SCREW TCC 4,2X9,5        |
| 25   | 4032.406 | PHOTOCELL SUPPORT        |
| 26   | 4032.407 | NUT M14X6                |
| 27   | 4161.140 | CONNECTION 90° M.M. 1/8" |
| 28   | 4032.818 | PHOTOCELL FD11 BRAHMA    |
| 29   | 4111.153 | POWER CORD 3 Mt.         |
| 30   | 4111.038 | CABLE FASTENER           |
| 31   | 4032.850 | FUSE 2,5A 6,3X32mm       |
| 32   | 4100.667 | SWITCH 10 A              |
| 33   | 4160.647 | ANGLE FIX BOX            |




| Pos. | Code NR  | Description                   |
|------|----------|-------------------------------|
| 34   | 4162.467 | SWITCH COVER                  |
| 35   | 4032.823 | FRONT CONTROL PANEL           |
| 36   | 4032.825 | BRAHMA EQUIPMENT TGR1         |
| 37   | 4032.824 | CONTROL BOX BASE              |
| 38   | 4160.639 | POP RIVET WITH TERMIN 4 WAY   |
| 39   | 4032.787 | MINIRELAY                     |
| 40   | 4032.788 | MINIRELAY ADAPTER             |
| 41   | 4032.816 | CAPACITOR 6,3MF               |
| 42   | 4032.789 | PUMP DANFOSS                  |
| 43   | 4161.501 | CONNECTION STRAIGHT 1/8" M.F. |
| 44   | 4032.906 | RUBBER TUBE M1/4              |
| 45   | 4032.857 | FUEL PIPE TANK-FILTER         |
| 46   | 4100.630 | FUEL FILTER                   |
| 47   | 4032.830 | RUBBER TUBE FOR FUEL SUCTION  |
| 48   | 4032.829 | RUBBER TUBE                   |
| 49   | 4032.858 | FUEL PIPE PUMP-TANK           |
| 50   | 4032.884 | FAN THERMOSTAT                |
| 51   | 4032.883 | LIMIT THERMOSTAT              |
| 52   | 4032.854 | OIL SUPPLY PIPE L=600         |
| 53   | 4032.885 | HT CABLE                      |

From Serial Number: 30800083

Model 2010



From Serial Number: 30800083




| Pos. | Code NR  | Description         |
|------|----------|---------------------|
| 1    | 4032.832 | UPPER SHELL         |
| 2    | 4032.840 | CHIMNEY             |
| 3    | 4032.836 | GRID                |
| 4    | 4032.815 | MOTOR               |
| 5    | 4032.835 | MOTOR BRACKET       |
| 6    | 4032.814 | FAN                 |
| 7    | 4032.808 | AIR FLAP            |
| 8    | 4032.838 | OUTLET AIR CONE     |
| 9    | 4032.790 | COMBUSTION CHAMBER  |
| 10   | 4032.834 | LOWER SHELL         |
| 11   | 4104.170 | CLIP NUT            |
| 12   | 4032.845 | FUEL LEVEL PROBE    |
| 13   | 4032.811 | HANDLES             |
| 14   | 4032.813 | DRAIN PLUG          |
| 15   | 4032.809 | AXLE                |
| 16   | 4111.480 | WHEEL PLUG          |
| 17   | 4111.072 | WHEEL HOLDER        |
| 18   | 4032.094 | WHEEL               |
| 19   | 4033.037 | TANK                |
| 20   | 4032.545 | AIR REGULATION FLAP |
| 21   | 4032.455 | SCREW               |
| 22   | 4032.454 | CAGE NUT            |
| 23   | 4031.536 | NOZZLE              |
| 24   | 4032.786 | NOZZLE SUPPORT      |
| 25   | 4160.601 | SCREW               |
| 26   | 4110.393 | WASHER              |
| 27   | 4032.396 | BIFILAR ELECTRODE   |
| 28   | 4110.294 | WASHER              |
| 29   | 4032.398 | ELECTRODE BRACKET   |
| 30   | 4161.434 | SCREW 4,2X9,5       |
| 31   | 4032.397 | BURNER FLANGE       |
| 32   | 4032.407 | NUT M14X6           |
| 33   | 4032.406 | PHOTOCELL SUPPORT   |






| Pos. | Code NR  | Description                  |
|------|----------|------------------------------|
| 34   | 4033.022 | PHOTOCELL                    |
| 35   | 4032.854 | OIL SUPPLY PIPE              |
| 36   | 4161.140 | ELBOW                        |
| 37   | 4032.883 | LIMIT THERMOSTAT             |
| 38   | 4032.885 | HT CABLE                     |
| 39   | 4111.081 | COUPLING                     |
| 40   | 4032.789 | PUMP                         |
| 41   | 4161.501 | NIPPLES                      |
| 42   | 4032.905 | POWER CORD SOLENOID SPOOL    |
| 43   | 4032.906 | FITTING 1/4"                 |
| 44   | 4032.947 | CABLE PROTECTION             |
| 45   | 4110.356 | FUEL FILTER                  |
| 46   | 4110.355 | FUEL LINE TANK-PUMP          |
| 47   | 4033.038 | FUEL PIPE PUMP-TANK          |
| 48   | 4100.541 | RUBBER BUSHING               |
| 49   | 4110.032 | FUEL LINE                    |
| 50   | 4033.017 | IGNITION CONTROL ASSEMBLY    |
| 51   | 4032.771 | POWER LINE RFI FILTER        |
| 52   | 4160.639 | POP RIVET WITH TERMIN. 4 WAY |
| 53   | 4032.816 | CAPACITOR 6,3 $\mu$ f        |
| 54   | 4111.153 | POWER CORD                   |
| 55   | 4111.119 | THERMOSTAT SOCKET            |
| 57   | 4162.467 | CAP FOR THERMOSTAT SOCKET    |
| 58   | 4032.850 | FUSE (6,3X32) 15A            |
| 59   | 4111.038 | STRAIN RELIEF                |
| 60   | 4032.823 | ELECTR. COMPONENTS PANEL     |
| 61   | 4100.667 | ON/OFF SWITCH                |
| 62   | 4032.897 | ELECTR. COMPONENTS BASE      |

From Serial Number: 31800560

Model 2011



From Serial Number: 31800560




| Pos. | Code NR  | Description         |
|------|----------|---------------------|
| 1    | 4032.832 | UPPER SHELL         |
| 2    | 4032.840 | CHIMNEY             |
| 3    | 4032.836 | GRID                |
| 4    | 4032.815 | MOTOR               |
| 5    | 4032.835 | MOTOR BRACKET       |
| 6    | 4032.814 | FAN                 |
| 7    | 4032.808 | AIR FLAP            |
| 8    | 4032.838 | OUTLET AIR CONE     |
| 9    | 4033.081 | COMBUSTION CHAMBER  |
| 10   | 4032.834 | LOWER SHELL         |
| 11   | 4104.170 | CLIP NUT            |
| 12   | 4032.845 | FUEL LEVEL PROBE    |
| 13   | 4032.811 | HANDLES             |
| 14   | 4032.813 | DRAIN PLUG          |
| 15   | 4032.809 | AXLE                |
| 16   | 4111.480 | WHEEL PLUG          |
| 17   | 4111.072 | WHEEL HOLDER        |
| 18   | 4032.094 | WHEEL               |
| 19   | 4033.037 | TANK                |
| 20   | 4032.545 | AIR REGULATION FLAP |
| 21   | 4032.455 | SCREW               |
| 22   | 4032.454 | CAGE NUT            |
| 23   | 4031.536 | NOZZLE              |
| 24   | 4110.363 | SCREW               |
| 25   | 4110.393 | WASHER              |
| 26   | 4032.396 | BIFILAR ELECTRODE   |
| 27   | 4110.394 | WASHER              |
| 28   | 4033.022 | PHOTOCELL           |
| 29   | 4032.854 | OIL SUPPLY PIPE     |
| 30   | 4161.140 | ELBOW               |
| 31   | 4032.883 | LIMIT THERMOSTAT    |
| 32   | 4032.885 | HT CABLE            |
| 33   | 4111.081 | COUPLING            |



| Pos. | Code NR  | Description                  |
|------|----------|------------------------------|
| 34   | 4032.789 | PUMP                         |
| 35   | 4161.501 | NIPPLES                      |
| 36   | 4032.905 | POWER CORD SOLENOID SPOOL    |
| 37   | 4032.906 | FITTING 1/4"                 |
| 38   | 4032.947 | CABLE PROTECTION             |
| 39   | 4110.356 | FUEL FILTER                  |
| 40   | 4110.355 | FUEL LINE TANK-PUMP          |
| 41   | 4033.038 | FUEL PIPE PUMP-TANK          |
| 42   | 4100.541 | RUBBER BUSHING               |
| 43   | 4110.032 | FUEL LINE                    |
| 44   | 4033.017 | IGNITION CONTROL ASSEMBLY    |
| 45   | 4032.771 | POWER LINE RFI FILTER        |
| 46   | 4160.639 | POP RIVET WITH TERMIN. 4 WAY |
| 47   | 4032.816 | CAPACITOR 6,3 µf             |
| 48   | 4111.153 | POWER CORD                   |
| 49   | 4111.119 | THERMOSTAT SOCKET            |
| 50   | 4033.042 | BURNER FLANGE                |
| 51   | 4162.467 | CAP FOR THERMOSTAT SOCKET    |
| 52   | 4032.850 | FUSE (6,3X32) 15A            |
| 53   | 4111.038 | STRAIN RELIEF                |
| 54   | 4032.823 | ELECTR. COMPONENTS PANEL     |
| 55   | 4100.667 | ON/OFF SWITCH                |
| 56   | 4032.897 | ELECTR. COMPONENTS BASE      |

From Serial Number: 32800180

Model 2012



## ILLUSTRATED PARTS BREAKDOWN

[illegible]


| Pos. | Code NR  | Description         |
|------|----------|---------------------|
| 1    | 4032.832 | UPPER SHELL         |
| 2    | 4032.840 | CHIMNEY             |
| 3    | 4032.836 | GRID                |
| 4    | 4032.815 | MOTOR               |
| 5    | 4032.835 | MOTOR BRACKET       |
| 6    | 4032.814 | FAN                 |
| 7    | 4032.808 | AIR FLAP            |
| 8    | 4032.838 | OUTLET AIR CONE     |
| 9    | 4033.081 | COMBUSTION CHAMBER  |
| 10   | 4032.834 | LOWER SHELL         |
| 11   | 4104.170 | CLIP NUT            |
| 12   | 4032.845 | FUEL LEVEL PROBE    |
| 13   | 4032.811 | HANDLES             |
| 14   | 4032.813 | DRAIN PLUG          |
| 15   | 4032.809 | AXLE                |
| 16   | 4111.480 | WHEEL PLUG          |
| 17   | 4111.072 | WHEEL HOLDER        |
| 18   | 4032.094 | WHEEL               |
| 19   | 4033.037 | TANK                |
| 20   | 4032.545 | AIR REGULATION FLAP |
| 21   | 4032.455 | SCREW               |
| 22   | 4032.454 | CAGE NUT            |
| 23   | 4031.536 | NOZZLE              |
| 24   | 4110.363 | SCREW               |
| 25   | 4110.393 | WASHER              |
| 26   | 4033.123 | BIFILAR ELECTRODE   |
| 27   | 4033.042 | BURNER FLANGE       |
| 28   | 4033.022 | PHOTOCELL           |
| 29   | 4033.187 | OIL SUPPLY PIPE     |
| 30   | 4033.198 | ELBOW               |
| 31   | 4032.883 | LIMIT THERMOSTAT    |
| 32   | 4032.885 | HT CABLE            |
| 33   | 4111.081 | COUPLING            |




| Pos. | Code NR  | Description                  |
|------|----------|------------------------------|
| 34   | 4032.789 | PUMP                         |
| 35   | 4161.501 | NIPPLES                      |
| 36   | 4032.905 | POWER CORD SOLENOID SPOOL    |
| 37   | 4032.906 | FITTING 1/4"                 |
| 38   | 4032.947 | CABLE PROTECTION             |
| 39   | 4110.356 | FUEL FILTER                  |
| 40   | 4110.355 | FUEL LINE TANK-PUMP          |
| 41   | 4033.038 | FUEL PIPE PUMP-TANK          |
| 42   | 4100.541 | RUBBER BUSHING               |
| 43   | 4110.032 | FUEL LINE                    |
| 44   | 4033.017 | IGNITION CONTROL ASSEMBLY    |
| 45   | 4032.771 | POWER LINE RFI FILTER        |
| 46   | 4160.639 | POP RIVET WITH TERMIN. 4 WAY |
| 47   | 4032.816 | CAPACITOR 6,3 $\mu$ f        |
| 48   | 4111.153 | POWER CORD                   |
| 49   | 4111.119 | THERMOSTAT SOCKET            |
| 51   | 4162.467 | CAP FOR THERMOSTAT SOCKET    |
| 52   | 4032.850 | FUSE (6,3X32) 15A            |
| 53   | 4111.038 | STRAIN RELIEF                |
| 54   | 4032.823 | ELECTR. COMPONENTS PANEL     |
| 55   | 4100.667 | ON/OFF SWITCH                |
| 56   | 4032.897 | ELECTR. COMPONENTS BASE      |
| 57   | 4110.394 | WASHER                       |

From Serial Number: 04233000449


Model 2013




**A**



**B**



**C**



| Pos. | Code NR  | Description            |
|------|----------|------------------------|
| 1    | 4032.840 | CHIMNEY                |
| 2    | 4032.832 | UPPER SHELL            |
| 3    | 4032.808 | AIR FLAP               |
| 4    | 4032.814 | FAN                    |
| 5    | 4032.836 | INLET GRID             |
| 6    | 4140.665 | SCREW                  |
| 7    | 4160.272 | WASHER                 |
| 8    | 4032.811 | HANDLE                 |
| 9    | 4032.979 | CAP                    |
| 10   | 4032.813 | DRAIN PLUG             |
| 11   | 4033.267 | TANK                   |
| 12   | 4032.809 | AXLE                   |
| 13   | 4032.094 | WHEEL                  |
| 14   | 4111.480 | WHEEL CAP              |
| 15   | 4111.072 | WHEEL HOLDER           |
| 16   | 4201.185 | TANK FILTER            |
| 17   | 4032.846 | TANK CAP               |
| 18   | 4104.170 | CLIP NUT               |
| 19   | 4032.834 | LOWER SHELL            |
| 20   | 4033.081 | COMBUSTION CHAMBER     |
| 21   | 4032.883 | LIMIT THERMOSTAT       |
| 22   | 4031.657 | OUTLET CONE            |
| 23*  | 4033.253 | POWER CORD SCHUKO      |
| 23-A | 4033.252 | POWER CORD NEW ZEALAND |
| 23-B | 4033.302 | POWER CORD UK          |
| 24   | 4032.545 | AIR REGULATION FLAP    |
| 25   | 4032.455 | SCREW                  |
| 26   | 4032.454 | CAGE NUT               |
| 27   | 4031.536 | NOZZLE                 |
| 28   | 4161.956 | SCREW                  |
| 29   | 4033.042 | BURNER FLANGE          |
| 30   | 4110.363 | SCREW                  |
| 31   | 4110.393 | AUTOLOCK WASHER        |
| 32   | 4033.123 | BIFILAR ELECTRODE      |
| 33   | 4110.394 | FIBER WASHER           |
| 34   | 4033.198 | ELBOW                  |

| Pos. | Code NR  | Description                |
|------|----------|----------------------------|
| 35   | 4033.022 | PHOTOCELL                  |
| 36   | 4032.885 | HIGH TENSION CABLES        |
| 37   | 4100.810 | PIPE CLAMP                 |
| 38   | 4033.219 | MOTOR                      |
| 39   | 4111.081 | COUPLING                   |
| 40   | 4111.042 | PUMP                       |
| 41   | 4033.187 | FLEXIBLE OIL PIPE          |
| 42   | 4032.906 | FITTING                    |
| 43   | 4032.342 | SOLENOID SPOOL CORD        |
| 44   | 4032.835 | MOTOR BRACKET              |
| 45   | 4032.947 | CABLE PROTECTION           |
| 46   | 4033.269 | OIL PIPE FILTER-PUMP       |
| 47   | 4033.268 | OIL PIPE TANK-TANK FILTER  |
| 48   | 4260.107 | FUEL FILTER                |
| 49   | 4110.355 | OIL SUCTION LINE           |
| 50   | 4260.099 | FUEL GAUGE                 |
| 51   | 4033.038 | OIL DISCHARGE LINE         |
| 52   | 4100.541 | RUBBER BUSHING             |
| 53   | 4110.032 | OIL DISCHARGE PIPE         |
| 54   | 4033.017 | IGNITION CONTROL           |
| 55   | 4032.771 | POWER LINE RFI FILTER      |
| 56   | 4033.301 | FUSE HOLDER                |
| 57   | 4032.850 | FUSE                       |
| 58   | 4160.639 | POP RIVET TERMINAL 4 WAY   |
| 59   | 4111.119 | THERMOSTAT SOCKET          |
| 61   | 4162.467 | CAP FOR THERMOSTAT SOCKET  |
| 62   | 4033.292 | ELECTRICAL COMPONENTS BASE |
| 63   | 4100.656 | NUT                        |
| 64   | 4150.528 | STRAIN RELIEF              |
| 65   | 4033.251 | BOARD BUTTON CAP           |
| 66   | 4165.204 | SWITCH                     |
| 67   | 4033.272 | ELECTRICAL PANEL           |
|      | 4033.273 | ADHESIVE                   |
| 68   | 4033.274 | PANEL GASKET               |


# MODEL BV 77 E - 220-240 V / 50 Hz

UNIT 1

ILLUSTRATED PARTS BREAKDOWN

From Serial Number: 06237001954

Model 2017



| Pos. | Code NR  | Description         |
|------|----------|---------------------|
| 1    | 4031.657 | OUTLET CONE         |
| 2    | 4032.840 | CHIMNEY             |
| 3    | 4033.081 | COMBUSTION CHAMBER  |
| 4    | 4032.832 | UPPER SHELL         |
| 5    | 4032.455 | SCREW               |
| 6    | 4032.454 | CAGE NUT            |
| 7    | 4032.545 | AIR DAMPER          |
| 8    | 4031.536 | NOZZLE              |
| 9    | 4033.123 | BIFILAR ELECTRODE   |
| 10   | 4110.393 | ELASTIC WASHER      |
| 11   | 4160.601 | SCREW               |
| 12   | 4032.692 | SPACER              |
| 13   | 4032.883 | SAFETY THERMOSTAT   |
| 14   | 4111.087 | THERMOSTAT WIRE     |
| 15   | 4032.946 | THERMOSTAT WIRE     |
| 16   | 4110.394 | FIBER WASHER        |
| 17   | 4033.198 | 90° CONNECTION      |
| 18   | 4033.042 | COMBUSTION HEAD     |
| 19   | 4032.808 | AIR FLAP            |
| 20   | 4110.032 | RUBBER PIPE         |
| 21   | 4033.879 | CLIP                |
| 22   | 4100.810 | CLAMP               |
| 23   | 4260.246 | BREATHE VALVE       |
| 24   | 4034.390 | STRAIGHT CONNECTION |
| 25   | 4032.776 | PHOTOCELL           |
| 26   | 4032.885 | HIGH TENSION WIRES  |
| 27   | 4032.814 | FAN                 |
| 28   | 4033.219 | MOTOR               |
| 29   | 4111.081 | MOTOR COUPLING      |
| 30   | 4111.042 | FUEL PUMP           |
| 31   | 4161.501 | STRAIGHT CONNECTION |
| 32   | 4033.198 | 90° CONNECTION      |
| 33   | 4033.187 | OIL PIPE            |
| 34   | 4032.836 | GRILLE              |
| 35   | 4260.107 | FUEL FILTER         |
| 36   | 4100.810 | CLAMP               |
| 37   | 4033.269 | RUBBER PIPE         |
| 38   | 4033.268 | RUBBER PIPE         |
| 39   | 4110.032 | RUBBER PIPE         |
| 40   | 4100.810 | CLAMP               |
| 41   | 4032.906 | STRAIGHT CONNECTION |
| 42   | 4032.342 | ELECTROVALVE WIRE   |
| 43   | 4032.835 | MOTOR SUPPORT       |
| 44   | 4032.947 | WIRE PROTECTION     |
| 45   | 4032.811 | HANDLE              |
| 46   | 4032.979 | CAP                 |
| 47   | 4032.704 | TANK CAP            |

| Pos. | Code NR  | Description            |
|------|----------|------------------------|
| 48   | 4201.185 | TANK FILTER            |
| 49   | 4100.355 | SUCTION PIPE           |
| 50   | 4100.541 | RUBBER BUSH            |
| 51   | 4032.813 | TANK DRAIN CAP         |
| 52   | 4033.038 | DISCHARGE PIPE         |
| 53   | 4260.099 | FUEL GAUGE             |
| 54   | 4032.809 | WHEELS AXLE            |
| 55   | 4111.480 | WHEELS CAP             |
| 56   | 4111.072 | BLOCK WASHER           |
| 57   | 4032.094 | WHEEL                  |
| 58   | 4034.387 | TANK                   |
| 59   | 4032.808 | AIR FLAP               |
| 60   | 4034.389 | LOWER SHELL            |
| 61   | 4032.850 | FUSE                   |
| 62   | 4160.639 | GROUND TERMINALS       |
| 63   | 4033.301 | FUSE HOLDER            |
| 64   | 4033.017 | PC-BOARD               |
| 65   | 4032.771 | ELECTRICAL LINE FILTER |
| 66   | 4033.292 | COMPONENTS SUPPORT     |
| 67   | 4100.656 | NUT                    |
| 68   | 4150.528 | STRAIN RELIEF          |
| 69   | 4033.251 | PC-BOARD PROTECTION    |
| 70   | 4033.274 | CONTROL PANEL GASKET   |
| 71   | 4033.272 | CONTROL PANEL          |
| 72   | 4033.273 | CONTROL PANEL LABEL    |
| 73   | 4162.467 | THERMOSTAT CAP         |
| 74   | 4161.400 | THERMOSTAT PLUG        |
| 75   | 4111.119 | THERMOSTAT SOCKET      |
| 76   | 4165.204 | SWITCH                 |
| 77   | 4033.253 | POWER CORD SCHUKO      |
| 77-A | 4033.302 | POWER CORD UK          |
| 77-B | 4033.252 | POWER CORD NEW-ZEALAND |