


# **Production system** bizhub PRO C6500



# bizhub PRO C6500

The colour and finishing artiste

# Production power through and through

Central reprographic departments and print for pay environments need colour print production facilities incorporating the full range of integrated finishing. In addition, commercial printers can welcome this versatility in order to cover a larger market. Quality, flexibility, reliability, durability and economy are the key words in this field.





- The bizhub PRO C6500 represents a significant new development in the field of full colour devices. It is designed to service the needs of the production printing segment and to extend the already successful, capable bizhub PRO range. It incorporates the proven advanced Konica Minolta precision print technology in both hardware and software suites.
- The robust design assures top-quality at an impressive speed and the bizhub PRO C6500 capably deals with both long and short runs and guarantees a rapid turnaround. The high feed ability across the wide range of media combined with the extensive professional finishing facilities ensures a varied and comprehensive output choice. The bizhub PRO C6500's precision printing has a registration satisfying remarkably low tolerance levels for duplex and from page to page. The bizhub PRO C6500 gives the all-round capability needed for production printing at its best.
- Service support with the reliable and convenient CS Remote Care further illustrates the Konica Minolta commitment to dependability.

# Outstanding Key Features

- Professional finishing: integrated and comprehensive
- Output speed:
  65 ppm colour and b/w
- Target output volume:
  up to 200,000 pages per month
- Professional controllers:
  EFI and Creo available
- Paper capacity: input: up to 7,500 pages output: up to 8,400 pages
- Media flexibility:
   weight: up to 300 g/m²
   media range: wide variety of paper media
- Print quality: Simitri-HD (High Definition) gives excellent colour imaging and impressive black density
- Ease-of-use: exceptionally straightforward with the full colour operator panel



# **System configurations tailor-made:**



- $\blacksquare$  The system for reports
- $\blacksquare$  With stapling finisher



- The system for mailings and flyers
- $\blacksquare$  With folding finisher



- ■The system for all kind of booklets ■With booklet finisher



- The system for existing finishing environments
- With stacker



- The system for reports, mailings and flyers With folding and stapling finisher



### System 6

- The system for reports and existing finishing environments
- With stapling finisher and stacker



### System 7

- The system for booklets and existing finishing environments
- With booklet finisher and stacker



- $\blacksquare$  The system for mailings, flyers and existing finishing environments
- With folding finisher and stacker



- The system for booklets, mailings and flyers
- With folding and booklet finisher











# **Technical specifications**

### **Engine specifications**

### Speed

Colour: 65 ppm, 3,900 pph B/W: 65 ppm, 3,900 pph

### Resolution

Scan: 600 x 600 dpi Print: 600 x 1,800 dpi

### 1st copy/print

Colour: 6.5sec B/W: 5 sec.

### Gradations

256 gradations

### Magnification

25-400% in 0.1% steps

# Multicopy

1-9,999, countdown, interruption mode

### Memory

Standard: 4x 256 MB Max.: shared with copier HDDs

## HDD

40 GB

### **System specifications**

### Automatic document feeder

Up to 100 originals

### Paper weight

64–256 g/m<sup>2</sup> Up to 300 g/m<sup>2</sup>

### Paper size

A5-A3+ (330 x 487 mm)

### **Duplex unit**

Non-stack type 64-256 g/m<sup>2</sup>

### Paper input capacity

Standard: 7,500 sheets (incl. PF-601, 2x 3,000 sheets)

### Paper output capacity

Trolley-mounted max.: 5,000 sheets Main tray max.: 3,000 sheets Per subtray max.: 200 sheets Max paper output 8,400 sheets

### Folding unit FD-501

Pre-printed sheet insertion (PI) 2 PI trays for 500 sheets each Punching (2 and 4 hole) Folding (half-fold, z-fold, gate-fold, letter fold, double-parallel fold, tri-fold)

double-parallel fold, tri-fold) Subtray for up to 200 sheets

### **Booklet finisher SD-501**

Booklet making of up to 50 sheets (200 images) Saddle stitching Trimming

Output tray for up to 50 booklets Multi-sheet folding

### Staple finisher FS-503

Stapling of up to 100 sheets 2-point and corner stapling Variable staple length (cutting mechanism) Output for up to 3,000 sheets Subtray for up to 200 sheets Auto-shift sorting and grouping

### Large stacker LS-501/LS-502

Up to 5,000 sheets stacking capacity Trolley mounted stacker Auto-shift stacking Up to 10,000 sheets stacking capacity when used as a tandem Subtray for up to 200 sheets

### Warm-up time

Less than 420 sec.





All specifications relating to paper capacity refer to A4-size paper of 80 g/m² quality.

All specifications relating to scanning, copying or printing speeds refer to A4-size paper that is scanned, copied or printed crosswise in multipage, simplex mode. Some of the product illustrations contain optional accessories.

Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.

Specifications are subject to change without notice.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries.

All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Printed in Germany on chlorine-free bleached paper.

Your Konica Minolta Business Solutions Partner:

Konica Minolta Business Solutions Europe GmbH

Europaallee 17

30855 Langenhagen • Germany Tel.: +49 (0) 511 74 04-0 Fax: +49 (0) 511 74 10 50